

# INDEX MAPS.

**T. 15N, R. 1E. 2<sup>nd</sup> Mer.**

	6	6	5-6	5-7	5-7	5-7
9	6 32	5 26	4 22	3 18	2 14	1 5
	32	31	26	22	17	13
9	7 31	8 25	9 21	10 17	11 13	12 4
	30	30	25	21	17	12
8	18 30	17 25	16 20	15 16	14 12	13 4
	29	29	24	20	16	12
8	19 29	20 24	21 20	22 15	23 11	24 4
	28	28	23	19	15	11
8	30 28	29 23	28 19	27 15	26 10	25 3
	27	27	23	18	14	10
7	31 27	32 22	33 18	34 14	35 9	36 3
	1	1	1	2	2	2

**T. 16N, R. 1E. 2<sup>nd</sup> Mer.**

39	6 53	5 54	4 51	3 47	2 43	1 37
	60	58	54	50	46	42
39	7 53	8 54	9 50	10 46	11 42	12 36
	60	57	53	50	46	42
38	18 57	17 53	16 49	15 45	14 41	13 36
	60	57	53	49	45	41
38	19 57	20 52	21 48	22 44	23 41	24 36
	59	56	52	48	44	40
38	30 56	29 52	28 48	27 44	26 40	25 35
	59	55	51	47	43	40
37	31 55	32 51	33 47	34 43	35 39	36 35
	33-34	33-34	33-34	33-34	33-34	33-35

The figures on the lines refer to the page.

# Township N. 16 North, Range N. 1 East 2<sup>d</sup> Mer. Indiana

## South Boundary

West 1<sup>st</sup> Mile On Random between Towns 15 & 16 N. 16 E

40.00 Set temp<sup>y</sup>. of Sec. post

80.00 Set temp<sup>y</sup>. mile post.

Over level land, timber Beech, Oak &c.

West 2<sup>d</sup> Mile On Rand<sup>m</sup>. between Towns 15 & 16 N. 16 E

40.00 Set temp<sup>y</sup>. of Sec. post

54.50 a Brook 10 lks. wide C.P.S.

80.00 Set temp<sup>y</sup>. mile post. Land & timber as before

West 3<sup>d</sup> Mile on Rand<sup>m</sup>. between Towns 15 & 16 N. 16 E.

40.00 Set temp<sup>y</sup>. of Sec. post

56.00 a Brook 10 lks. wide C.P.S.

79.50 a Slo 50 " " S.W.

80.00 Set temp<sup>y</sup>. mile post. Land & timber &c. as before.

West 4<sup>th</sup> Mile on Rand<sup>m</sup>. between Towns 15 & 16 N. 16 E.

40.00 Set temp<sup>y</sup>. of Sec. post

80.00 Set temp<sup>y</sup>. mile post. over land & timber as above

West 5<sup>th</sup> Mile on Random between Towns 15 & 16, N. 16 E.

19.00 a Brook 10 lks. wide C.P.S.

20.00 a Slo 30 " " S.E.

40.00 Set temp<sup>y</sup>. of Sec. post

80.00 Set temp<sup>y</sup>. mile post. over land & timber as before

West 6<sup>th</sup> Mile On Rand<sup>m</sup>. between Towns 15 & 16 N. 16 E.

23.00 a Brook 10 lks. wide C.P.S. E.

40.00 Set temp<sup>y</sup>. of Sec. post

45.00 Intersected the 2<sup>d</sup> Mer. 166 lks. N. of the Corner.

Over land & timber same as on the last mile

T6 N. R1 E. 2<sup>d</sup> Mer. Indiana

East On S. boundary of Sec. 31, T6 N. R1 E  
 5.00 Let the q. Sec. post on true line, from which  
 a Beech 8 mi. dist. bear S40 E 2 lks. dist. of  
 a Spruce 14 " " " N40 E 27 " "  
 45.00 Let a post Cor. to Sec. 31 & 32, T6 N. R1 E, from which  
 a Beech 24 mi. dist. bear S78 E 18 lks. dist. of  
 a Sugar 10 " " " N23 W 7 " "

East On S. boundary of Sec. 32, T6 N. R1 E.  
 40.00 Let the q. Sec. post on true line, from which  
 a Hickory 12 mi. dist. bear N52 E 20 lks. dist. of  
 a Do 10 " " " S52 W 22 " "  
 80.00 Let a post Cor. to Sec. 32 & 33, from which  
 a Beech 12 mi. dist. bear N51 E 15 lks. dist. of  
 a Hickory 20 " " " S51 W 20 " "

East On S. boundry of Sec. 33, T6 N. R1 E.  
 40.00 Let the q. Sec. post on true line, from which  
 a Walnut 30 mi. dist. bear N37 E 33 lks. dist. of  
 a Sugar 14 " " " S6 E 21 " "  
 80.00 Let a post Cor. to Sec. 34 & 33, T6 N. R1 E, from which  
 a Sycamore 20 mi. dist. bear N45 W 53 lks. dist. of  
 and no more convenient.

East On S. boundry of Sec. 34, T6 N. R1 E. 2<sup>d</sup> Mer.  
 40.00 Let the q. Sec. post on true line from which  
 a Sugar 6 mi. dist. bear N24 E 3 lks. dist. of  
 a Beech 6 " " " N21 W 15 " "  
 80.00 Let a post Cor. to Sec. 34 & 35, T6 N. R1 E, from which  
 a Beech 10 mi. dist. bear N84 E 18 lks. dist. of  
 a Do 12 " " " S22 W 17 " "

East On S. boundary of Sec. 35, T6 N. R1 E.

# T6 N. R1 E. 2<sup>nd</sup>. Mer. Indiana

- 40.00 Let the q. Sec. post on true line, from which  
a Sugar 10 m. dist. bear N 20 E 19 lks. dist. of  
a Beech 18 " " " S 45 W 29 " "  
80.00 Let a post Cor. to Sec. 35 & 36, from which  
a Hickory 18 m. dist. bear N 55 W 13 lks. dist. of  
a Beech 12 " " " S 24 E 12 " "

East On S. boundary of Sec. 36, T6 N. R1 E.

- 40.00 Let the q. Sec. post, from which  
a Beech 12 m. dist. bear S 62 E 22 lks. dist.  
a Do 10 " " " S 58 W 25 " "  
80.00 Intersected Town Corner.

East Boundary var. 6° 15' E.

North On E. boundary of Sec. 36, T6 N. R1 E.

- 40.00 Let the q. Sec. post, from which  
an Elm 22 m. dist. bear N 14 W 10 lks. dist. of  
an Ash 6 " " " S 43 E 05 " "  
54.33 a W. Oak 27 " " m. the line  
80.00 Let a post Cor. to Sec. 25 & 36, T6 N. R1 E. from which  
a Hickory 16 m. dist. bear S 19 E 08 lks. dist. of  
a W. Oak 7 " " " S 20 W 26 " "  
Level 2<sup>nd</sup> rate land, Beech, Sugar, Oak, Hickory  
Ash, Sycamore &c.

North On E. boundry. of Sec. 25, T6 N. R1 E.

- 40.00 Let the q. Sec. post, from which  
a Poplar 30 m. dist. bear S 8 E 19 lks. dist. of  
a Sycamore 7 " " " S 84 W 15 " "  
48.73 a W. Oak 22 " " m. the line  
80.00 Let a post Cor. to Sec. 24 & 25, T6 N. R1 E. from which  
a Sycamore 22 m. dist. bear S 36 W 27 lks. dist. of  
a Hickory 18 " " " S 22 E 66 " "



T6 N. R1 E, 2<sup>nd</sup> Mer. Indiana

Level 2<sup>nd</sup>, rate land, Beech, Sugar, Ash, Elm,  
 Lym, Oak, Hickory &c. thick underg<sup>th</sup>. Same  
 timber & Spice & Pawpaw.

North On E. boundary of 24, T6 N. R1 E.

26.04 a Beech 16 m. dist. in the line

40.00 Set the q. Sec. post, from which  
 an Oak 10 m. dist. bears N 21 E 20 lks. dist. &  
 an Ash 10 " " " S 31 W 18 " "

62.52 a Sugar 18 " " in the line

80.00 Set a post Cor. to Sec. 13 & 24, from which  
 a Sugar 10 m. dist. bears N 77 W 18 lks. dist. &  
 a Beech 9 " " " S 48 E 30 " "

Good farming land, Beech, Sugar, Oak, Hickory  
 Ash &c. underg<sup>th</sup>. Hazel, Pawpaw & Bramble

North On E. boundary of Sec. 13, T6 N. R1 E.

10.50 a Branch 10 lks. wide C. & E.

21.44 a W. Oak 24 m. dist. in the line

40.00 Set a post Cor. to q. Sec. 1 from which  
 a Beech 18 m. dist. bears N 87 E 8 lks. dist. &  
 an Ironw. 8 " " " N 42 W 47 " "

57.56 an Elm 20 " " in the line

80.00 Set a post Cor. to Sec. 12 & 13, T6 N. R1 E. from which  
 an Oak 6 m. dist. bears S 54 W 5 lks. dist. &  
 a Hickory 8 " " " N 21 W 30 " "

Level rock land, Ash, Elm, Maple, Oak, Hickory  
 &c. underg<sup>th</sup>. Spice, Hazel &c.

North On E. bound. of Sec. 12, T6 N. R1 E.

3.60 a Hickory 24 m. dist. in the line

40.00 Set the q. Sec. post, from which  
 a Beech 12 m. dist. bears S 51 E 14 lks. dist. &

# West P.E. 2<sup>d</sup> Mer. Indiana

an Ash 8 in. dia. bears N 48 W 40 lbs. dist.  
 75.47 an Oak 42 " " in the line  
 80.00 Set a post Cor. to Sec. 1 of 12, T16 N. R1 E, from which  
 a Beech 12 in. dia. bears N 67 E 5 lbs. dist. of  
 a Walnut 25 " " " N 27 W 30 " "  
 Level good farming land, Beech, Sugar, Elm, Walnut,  
 Ash, Oak, Hick. undg. <sup>th</sup> Spice, Hazel &c.

---

North On E. boundary of Sec. 1, T16 N. R1 E.  
 6.45 a Beech 18 in. dia. stands in the line  
 40.00 Set the q. Sec. post, from which  
 a Sugar 9 in. dia. bears N 45 E 7 lbs. dist. of  
 an Elm 25 " " " N 79 W 26 " "  
 65.56 an Elm 22 " " in the line  
 79.36 Intersected the line of Correction 18 lbs. E. of  
 q. Sec. post on S. line of Sec. 36, T17 N. R1 E. Set  
 a post Cor. to Town 16 N. Range 1 W E, from which  
 a Beech 10 in. dia. bears N 65 E 11 lbs. dist. of  
 a do 9 " " " S 35 W 27 " "  
 Good farming land, timber as on the last mile  
 August 13<sup>th</sup> 1819.  
 Surveyed by John M<sup>c</sup>. Donald, Dep. Sur.

---

## West Boundary or 2<sup>d</sup> Principal Meridian variation 5° 55' E.

North On E. boundary, of Sec. 36, T16 N. R1 W.  
 6.00 a Brook 12 lbs. wide W. E.  
 40.00 Set the q. Sec. post, from which  
 a Beech 8 in. dia. bears N 51 W 10 lbs. dist. of  
 a do 8 " " " S 49 E 14 " "  
 60.00 a Brook 8 lbs. wide W. E.  
 78.00 a do 8 " " " E.  
 80.00 Set a post Cor. to Sec. 25 of 36, T16 N. R1 W. from which

# T6 N. R1 E. 2<sup>d</sup>. Mer. Indiana

a Sugar 18 in. dia. brans N43<sup>o</sup>W19<sup>o</sup> br. dist. 6  
 a Elm 10 " " " " S23 E6 " "  
 Land rolling good 2<sup>d</sup> rate; Beech, Sugar, Ash,  
 Oak, good farming land. Aug. 6<sup>th</sup> 1819.

North On E. boundary of Sec. 25, T6 N. R1 W

39.50 a Brook 8 brs. wide C. & E.

40.00 Let the q. Sec. post, from which

a Beech 8 in. dia. brans N3<sup>o</sup>W49<sup>o</sup> br. dist. 6

a Buckeye 9 " " " " N35<sup>o</sup>W12 " "

60.00 a Brook 10 brs. wide C. & E.

80.00 Let a post Cor. to Sec. 24 & 25, T6 N. R1 W, from which

a W. Oak 24 in. dia. brans N60<sup>o</sup>W34<sup>o</sup> br. dist. 6

a Beech 9 " " " " S68 E24 " "

Land timber &c same as on the last mile

North On E. boundary of 24, T6 N. R1 W. 2<sup>d</sup>. Mer

40.00 a Sycamore 36 in. dia. for q. Sec. corner

80.00 Let a post Cor. to Sec. 13 & 24, T6 N. R1 W, from which

a Beech 9 in. dia. brans S5<sup>o</sup>W18<sup>o</sup> br. dist. 6

a Elm 9 " " " " N17 E25 " "

1/2 mile rather wet flow - 1/2 mile same.

North On E. boundy. of Sec. 13, T6 N. R1 W.

40.00 Let the q. Sec. post, from which

a Maple 18 in. dia. brans N3<sup>o</sup>W41<sup>o</sup> br. dist. 6

a Elm 18 " " " " South 10 " "

80.00 Let a post Cor. to Sec. 12 & 13, T6 N. R1 W, from which

an Ash 14 in. dia. brans S36<sup>o</sup>W5<sup>o</sup> br. dist. 6

an Oak 18 " " " " N6 E29 " "

North 1/2 mile level & wet - 1/2 mile good farming  
 land.

# T16 N. R1 E. 2<sup>d</sup>. Mer. Indiana

North On E. boundary of Sec. 12, T16 N. R1 W  
17.00 at Brook 10<sup>th</sup>, wide C. S. E.

40.00 at the q. Sec. post, from which  
a Beech 14 m. dist. bear S61 E 44<sup>th</sup>, dist. of  
a W. Ash 10 " " " S80 W 16 " "

80.00 at a post Cor. to Sec. 16, 12, T16 N. R1 W, from which  
a Beech 18 m. dist. bear S60 E 21<sup>th</sup>, dist. of  
a W. Oak 18 " " " S44 W 16 " "  
Land level good 2<sup>d</sup>. rate, Beech, Sugar, Hickory, ash,  
Good farming land.

North On E. boundary of Sec. 1, T16 N. R1 W.

38.50 at Brook 8<sup>th</sup>, wide C. S. E.

40.00 at the q. Sec. post, from which  
a Beech 9 m. dist. bear S21 W 22<sup>th</sup>, dist. of  
a Hickory 9 " " " N18 E 25 " "

88.50 to Mr. Mc Donald's E. of W. line, set a post at  
the intersection Cor. to Township, 16<sup>th</sup> 17 North,  
Range, 1 E of West, from which  
a Hickory 24 m. dist. bear N70 W 10<sup>th</sup>, dist. of  
a Beech 12 " " " S35 W 17 " "  
Land timber of c. same.

Surveyed by William Harris, Dep. Sur.

## Subdivision

North Between Sect 35 & 36, T16 N. R1 E. 2<sup>d</sup>. Mer.

17.30 a Sugar 16 m. dist. in the line

40.00 at the q. Sec. post, from which  
a Beech 6 m. dist. bear S74 W 14<sup>th</sup>, dist. of  
a Do 8 " " " N55 E 8 " "

58.04 a Beech 8 " " in the line

80.00 at a post Cor. to Sect. 25, 26, 35 & 36, from which  
a Beech 18 m. dist. bear N74 W 32<sup>th</sup>, dist. of



# T6 N. R1 E. 2<sup>d</sup>. Mer. Indiana

a Beech 12 in. dia. brans S36 E42 lks. dist. of  
Land level 2<sup>d</sup>. rate, timber Beech, Sugar, Oak,  
Ash, fr. including <sup>on</sup> Spruce &c.

East On Random between Sec. 25 & 36, T6 N. R1 E

40.00 At temp. of Sec. post

80.17 Intersected the E. boundary 62 lks. S. of post  
Land & timber same as on the last mile

West On true line between Sec. 25 & 36, T6 N. R1 E.

40.08<sup>1</sup>/<sub>2</sub> At of Sec. post at av. dist on true line, from which  
a Sugar 16 in. dia. brans N17 W27 lks. dist. of  
a Poplar 30 " " " S23 W12 " "

80.17 to Sec. Corner.

North Between Sec. 25 & 26, T6 N. R1 E. 2<sup>d</sup>. Mer.

21.56 a Beech 10 in. dia. brans with the line

40.00 At the of Sec. post, from which

a Beech 10 in. dia. brans S60 W19 lks. dist. of

a B. Ash 10 " " " S62 E25 " "

63.96 a Beech 6 " " with the line

80.00 At a post Cor. to Sec. 23, 24, 25 & 26, from which

a Sycamore 30 in. dia. brans N47 E56 lks. dist. of

a W. Elm 20 " " " S63 W54 " "

Land level fruct, timber Beech, W. R. Oak, W. B.  
Ash,

East On Rand<sup>m</sup>. between Sec. 24 & 25, T6 N. R1 E

40.00 At temp. of Sec. post

80.20 Intersected the E. boundary 66 lks. S. of post.  
Land level fruct, timber same as on the last mile

West On true line between Sec. 24 & 25, T6 N. R1 E.



# T6 N. R1 E. 2<sup>d</sup>. Mer. Indiana

40.10 Set of Sec. post at av. dist. on true line from which  
a P. Ash 8 m. dist. bears S 28° W 14 lks. dist. &  
a W. Ash 4 " " " N 25° E 12 " "  
80.20 to Sec. Cor. April 14<sup>th</sup>. 1821

North between Sec. 13 & 14, T6 N. R1 E. 2<sup>d</sup>. Mer.

19.96 a W. Oak 24 m. dist. in the line  
40.00 Set the of Sec. post, from which  
a W. Ash 20 m. dist. bears N 35° W 18 lks. dist. &  
a W. Elm 12 " " " S 45° E 29 " "  
62.90 a R. Oak 36 " " in the line  
80.00 Set a post Cor. to Sec. 13, 14, 23 & 24 from which  
a Spruce 4 m. dist. bears S 4° E 30 lks. dist. &  
a Sugar 18 " " " N 37° W 23 " "  
Land level & soil, timber same as on the last mile

East on Rand. between Sec. 13 & 24, T6 N. R1 E.

40.00 Set temp. of Sec. post  
80.19 Intersected the E. boundary 54 lks. S. of the post  
Land level & soil.

West On true line between Sec. 13 & 24, T6 N. R1 E.

40.09 Set of Sec. post at av. dist. on true line, from which  
a Beech 10 m. dist. bears N 19° W 23 lks. dist. &  
a Sugar 10 " " " N 10° E 50 " "  
80.19 to Sec. Cor.

North Between Sec. 13 & 14, T6 N. R1 E. 2<sup>d</sup>. Mer.

24.02 a Hickory 12 m. dist. in the line  
40.00 Set the of Sec. post, from which  
a Spruce 12 m. dist. bears N 35° E 8 lks. dist. &  
a Sugar 6 " " " S 7° W 26 " "  
58.80 a Beech 18 " " in the line

# West. P.E. 2<sup>d</sup> Mer.

80.00 Set a post Cor. to Sec. 11, 12, 13 & 14, from which  
 a Beech 10 m. dist. bears S 83° N 35 E 12 m. dist. &  
 an Iron? 6 " " " N 67 E 12 " "  
 Land level & very wet, timber, W. Elm, W. B. Oak, Ash, Beech  
 Sugar &c. including Spruce, Hazel &c.

---

East On Rand<sup>m</sup>. betw<sup>n</sup>. Sec. 12 & 13, West. P.E.

40.00 Set temp<sup>y</sup>. gr. Sec. post

80.22 Intersected the E. boundy. 86 lbs. N. of post.

Land level & very wet, timber same as on last mile

---

West On true line between Sec. 12 & 13, West. P.E.

40.11 Set gr. Sec. post, from which

a Beech 12 m. dist. bears N 37° 37 E 12 m. dist. &

a Do 10 " " " S 2 E 25 " "

80.22 to Sec. Cor.

---

North Between Sec. 11 & 12, West. P.E. 2<sup>d</sup> Mer

16.89 a W. Oak 20 m. dist. with line

40.00 Set the gr. Sec. post, from which

a W. Oak 18 m. dist. bears S 57 E 12 lbs. dist. &

a Beech 12 " " " N 48 W 22 " "

60.00 a B. Ash 10 " " in the line

80.00 Set a post Cor. to Sec. 1, 2, 11 & 12, from which

a B. Ash 9 m. dist. bears N 42 W 5 lbs. dist. &

a Do 8 " " " S 82 E 22 " "

Land level & very wet, timber as above

---

East On Random between Sec. 11 & 12, West. P.E.

40.00 Set temp<sup>y</sup>. gr. Sec. post

80.40 Intersected the E. boundary 116 lbs. N. of post

Land & timber &c. same as on the last mile

---

# T16 N. R1 E. 2<sup>d</sup> Mer. Indiana

West On true line between Sec. 14 & 12, T16 N. R1 E.  
 40.20 Set q. Sec. post at av. dist. from which  
     a Lycamore 30 m. dia. bears N 33 E 41 lks. dist. 5  
     a W. Elm 20 " " " N 89 W 19 " "  
 80.40 to Sec. Cor. April 15<sup>th</sup> 1821

North Between Sec. 14 & 2, T16 N. R1 E.  
 20.60 a Hickory 24 m. dia. in the line  
 40.00 Set the q. Sec. post, from which  
     a Beech 12 m. dia. bears N 75 E 19 lks. dist. 5  
     a Do 10 " " " S 73 W 26 " "  
 59.50 a Poplar 24 " " in the line  
 78.75 intersected the N. boundary - Set a post Cor.  
     to Sec. 14 & 2, T16 N. R1 E. from which  
     a Hickory 16 m. dia. bears N 83 W 15 lks. dist.  
     a Sugar 12 " " " S 75 E 19 " "  
 Land timber &c. same as on the last mile.

North Between Sec. 34 & 35, T16 N. R1 E. 2<sup>d</sup> Mer.  
 26.96 a Sugar 6 m. dia. in the line  
 40.00 Set the q. Sec. post, from which  
     a Beech 14 m. dia. bears N 41 E 8 lks. dist. 8  
     a Do 10 " " " S 61 W 10 " "  
 73.50 a W. Oak 30 " " in the line  
 80.00 Set a post Cor. to Sec. 26, 27, 34 & 35, from which  
     a Beech 6 m. dia. bears N 7 W 25 lks. dist. 5  
     a Do 10 " " " S 64 E 26 " "  
 Level 2<sup>d</sup> rate, timber Sugar, Beech, W. Oak &c. M. G. Spruce &c.

East On Rand<sup>m</sup>. between Sec. 26 & 35, T16 N. R1 E.  
 40.00 Set temp. q. Sec. post  
 80.05 intersected the S. line 115 lks. S. of the post  
 Land level 2<sup>d</sup> rate, timb. Sugar, Beech, W. Oak, undng<sup>d</sup> Spruce &c.

# T6 N. R1 E. 2<sup>nd</sup> Mer. Indiana

West On true line between Sec. 26 & 35, T6 N. R1 E.  
 40.02 1/2 at q. Sec. post, at av. dist, from which  
     a Beech 14 m. dia. bears S 51° W 15 lks. dist. &  
     a Hickory 10 " " " S 28° E 31 " "  
 80.05 to Sec. Cor.

North Between Sec. 26 & 27, T6 N. R1 E. 2<sup>nd</sup> Mer.  
 11.70 at Brook 4 lks. wide at S. W.  
 25.25 at Beech 18 m. dia. in the line  
 40.00 at the q. Sec. post, from which  
     a Beech 14 m. dia. bears N 21° W 14 lks. dist. &  
     a do 15 " " " N 78° E 36 " "  
 53.40 at Brook 3 lks. wide at S. W.  
 58.70 at W. Oak 30 m. dia. in the line  
 80.00 at a post Cor. to Sec. 22, 23, 26 & 27 from which  
     a Beech 18 m. dia. bears S 35° W 14 lks. dist. &  
     a W. Oak 36 " " " North 2 " "  
 Land level 2<sup>nd</sup> rate, timber Sugar, Beech, W. Oak &  
 among<sup>th</sup>, Spruce &c.

East On Random between Sec. 23 & 26, T6 N. R1 E.  
 40.00 at 1/2 m. p. q. Sec. post  
 80.02 intersected the N. & S. line 114 lks. S. of post  
 Land level 2<sup>nd</sup> rate, timber Sugar, Beech, Oak &c.  
 among<sup>th</sup>, Spruce &c.

West On true line between Sec. 23 & 26, T6 N. R1 E.  
 40.01 at the q. Sec. post, at av. dist. from which  
     a Beech 18 m. dia. bears S 9° E 25 lks. dist. &  
     a do 16 " " " N 14° E 25 " "  
 80.02 to Sec. Corner

North Between Sec. 22 & 23, T6 N. R1 E.



# West R1 E. 2<sup>nd</sup> Mer. Indiana

18.23 a Hickory 22 m. diam. in the line  
 40.00 at the q. Sec. post, from which  
     a Sugar 16 m. diam. bears N 13 W 11 lks. dist. &  
     an Ironw. 4 " " " S 21 E 31 " "  
 49.25 a Brook 4 lks. wide C. S. W.  
 55.87 a W. Oak 18 m. diam. in the line  
 80.00 at a post Cor. to Sec. 14, 15, 22, & 23, from which  
     a Beech 8 m. diam. bears N 18 E 16 lks. dist. &  
     a Elm 6 " " " S 32 W 17 " "  
 Sand level 2<sup>nd</sup> rate, timber Sugar, Beech, W. Oak  
 &c. Underg<sup>th</sup>, Spice &c.

---

East On Random between Sec. 14 & 23, West R1 E.  
 40.00 at temp. q. Sec. post  
 79.99 intersected the C. & S. line 114 lks. S. of post.  
 Sand timber &c. Same as on the last mile

---

West On true line betw<sup>n</sup>. Sec. 14 & 23, West R1 E.  
 39.99 at q. Sec. post at av. dist. on true line, from which  
     a W. Ash 6 m. diam. bears N 12 W 6 lks. dist. &  
     an Ironw. 4 " " " S 39 E 6 " "  
 79.99 to Sec. Cor.

---

North Between Sec. 14 & 15, West R1 E.  
 24.44 a Sugar 18 m. diam. in the line  
 40.00 at the q. Sec. post, from which  
     a Sugar 16 m. diam. bears N 48 W 17 lks. dist. &  
     a Beech 16 " " " S 74 E 18 " "  
 62.09 a Sugar 20 " " in the line  
 80.00 at a post Cor. to Sec. 10, 11, 14 & 15, from which  
     a Beech 10 m. diam. bears S 78 W 24 lks. dist. &  
     a Sugar 12 " " " S 70 E 14 " "  
 Sand level 1<sup>st</sup> rate, timber Beech, Sugar, Oak, Ash, Underg<sup>th</sup>, Spice.



T16. N. R1E. 2<sup>d</sup>. Mer. Indiana

East On Rand<sup>m</sup>. betw<sup>n</sup>. Secs. 11 & 14, T16 N. R1E.  
40.00 Set temp<sup>y</sup>. of Sec. post

79.99 Intersected the N & S. line 119 lks. S. of post  
Sand timber &c. same as on the last mile

---

West On true line between Secs. 11 & 14, T16 N. R1E.

39.99 1/2 Set of Sec. post at av<sup>g</sup>. dist. from which  
a Beech 6 in. dia<sup>r</sup>. bear<sup>g</sup> N61 E 15 lks. dist. of  
a do 9 " " " N21 E 10 " "

79.99 to Sec. Cor.

---

North Between Secs. 10 & 11, T16 N. R1E. 2<sup>d</sup>. Mer.

22.60 a W. Oak 30 in. dia<sup>r</sup>. bear<sup>g</sup> with the line

24.60 a Brook 60 lks. wide C<sup>t</sup>. S. W.

40.00 Set the of Sec. post, from which  
a Beech 9 in. dia<sup>r</sup>. bear<sup>g</sup> N18 E 14 lks. dist. of  
a do 4 " " " N31 W 10 " "

60.03 a Sugar 16 " " in. the line

70.00 a Brook 60 lks. wide C<sup>t</sup>. S. E.

76.00 a do 60 " " " S. W.

80.00 Set a post Cor. to Secs. 2, 3, 10 & 11, from which  
a H. Beech 9 in. dia<sup>r</sup>. bear<sup>g</sup> N37 W 15 lks. dist. of  
a B. Ash 16 " " " N44 E 56 " "  
Sand, timber &c. same as on the last mile

---

East On Random between Secs. 2 & 11, T16 N. R1E.

16.20 a Brook 60 lks. wide C<sup>t</sup>. S. W.

40.00 Set temp<sup>y</sup>. of Sec. post

80.00 Intersected the N & S. line 115 lks. S. of post  
Sand timber &c. same as on the last mile

---

West On true line between Secs. 2 & 11, T16 N. R1E.

40.00 Set of Sec. post at av<sup>g</sup>. dist. from which

# West R1 E. 2<sup>d</sup> Mer. Indiana

47

a Beech 6 in. dia. brang N 61 E 15 lks. dist of  
a Do 9 " " " N 21 E 10 " "  
80.00 to Sec. Corner. April 19<sup>th</sup>. 1871

North Between Secs. 2 & 3, West R1 E. 2<sup>d</sup> Mer.

20.08 a Beech 18 in. dia. in the line

40.00 At the q. Sec. post, from which

a Beech 10 in. dia. brang N 36 E 10 lks. dist of

a Hombam 10 " " " S 24 W 18 " "

55.60 a Beech 16 " " in the line

80.40 At in the N. boundary Cor. to Sec. 2 & 3, from which

a B. Walnut 24 in. dia. brang N 28 E 5 lks. dist of

a Beech 16 " " " S 18 W 19 " "

Sand, timber &c. same as on the last mile

North Between Secs. 33 & 34, West R1 E. 2<sup>d</sup> Mer.

20.70 a Sugar 8 in. dia. in the line, &

40.00 At the q. Sec. post, from which

a Hackberry 10 in. dia. brang S 11 W 12 lks. dist of

a Sugar 24 " " " N 46 E 8 " "

57.14 an Ironwood 6 " " in the line

80.00 At the first Cor. to Secs. 27, 28, 33 & 34, West R1 E.

from which a B. Oak 10 in. dia. brang S 29 E 14 lks. dist of

a Beech 10 " " " S 65 W 27 " "

First 1/2 mile bottom; 2<sup>nd</sup> half mile rolling rich  
timber Beech, Sugar, Oak, Walnut, maple, Spruce &c.

East On Random between Secs. 27 & 34, West R1 E.

20.00 a Brook 10 lks. wide C.S.

37.60 a Do 8 " " " S.W.

40.00 At temp. q. Sec. post

79.98 Intersected the N & S. line 85 lks. S. of post

Sand rolling 2<sup>nd</sup> rate timber as before

# West P.E. 2<sup>d</sup> Mer. Indiana

West On true line between Sec. 27 & 34, T16N, R1E.  
 39.99 At q. Sec. post at av. dist. on true line from which  
 a Beech 8 m. diam. bears N13E 13 lks. dist. of  
 a Do 24 " " " S39W 37 " "  
 79.98 to Sec. Corner.

North Between Sec. 27 & 28, T16N, R1E 2<sup>d</sup> Mer.  
 38.23 a Hickory 18 m. diam. in the line  
 40.00 At the q. Sec. post, from which  
 a Beech 16 m. diam. bears S37W 24 lks. dist. of  
 a Do 12 " " " N80E 23 " "  
 55.40 Beech 24 " " in the line  
 62.75 a Brook 80 lks. wide C.S.E.  
 80.00 at a post Cor. to Sec. 21, 22, 27 & 28, from which  
 a H. Elm 6 m. diam. bears N45W 6 lks. dist. of  
 a Sugar 6 " " " S65E 5 " "  
 Sand & Rolling timber as before

East On a road between Sec. 22 & 27, T16N, R1E.  
 40.00 At temp. q. Sec. post  
 80.04 Intersected the the old S. line 88 lks. S. of Corner  
 Sand timber &c. Same as on the last mile.

West On true line between Sec. 22 & 27, T16N, R1E.  
 40.02 At q. Sec. post at av. dist. from which  
 a B. Ash 12 m. diam. bears S39E 26 lks. dist. of  
 a Sugar 18 " " " N36W 35 " "  
 80.04 to Sec. Cor.

North Between Sec. 21 & 22, T16N, R1E, 2<sup>d</sup> Mer.  
 9.00 a Brook 100 lks. wide C.S.W.  
 24.25 a Do 6 " " " S.E.  
 25.75 a Sugar 18 m. diam. in the line

Contd.

# West R1E, 2<sup>d</sup>. Mer. Indiana

49

40.00 Let the g. Sec. post, from which  
a Beech 8 m. dist. bear S 58° W 26 lbs. dist. of  
a Do 8 " " " S 77° E 13 " "  
66.30 a Buckeye 12 " " in the line  
80.00 Let a post Cor. to Sec. 15, 16, 21, 22, from which  
a W. Oak 18 m. dist. bear S 36° E 7 lbs. dist. of  
a Beech 8 " " " N 14° W 13 " "  
Land timber &c. same as on the last mile

East On Random between Sec. 15 & 22, T16 N, R1 E.  
7.40 at Brook 100 lbs. wide Cr. S. S. E.  
38.50 a Do 100 " " " North  
40.00 Let temp. g. Sec. post  
55.00 the above brook 100 lbs. Cr. S. S. W.  
80.00 intersected the N & S. line 87 lbs. S. of the post.  
Land broken timber same as last mile

West On true line between Sec. 15 & 22, T16 N, R1 E.  
40.00 Let g. Sec. post at an g. dist. on true line, from which  
a Buckeye 8 m. dist. bear S 77° W 2 lbs. dist. of  
a Hickory 18 " " " N 17° E 2 " "  
80.00 to Sec. Corner.

North Between Sec. 15 & 16, T16 N, R1 E, 2<sup>d</sup>. Mer.  
29.60 a W. Oak 20 m. dist. in the line  
40.00 Let the g. Sec. post, from which  
a W. Oak 6 m. dist. bear N 81° E 10 lbs. dist. of  
a B. Ash 4 " " " S 76° W 13 " "  
58.00 a Beech 10 " " in the line  
80.00 Let a post Cor. to Sec. 9, 10, 15 & 16, from which  
a Sugar 10 m. dist. bear S 19° W 14 lbs. dist. of  
a B. Walnut 30 " " " N 36° E 26 " "  
Land timber &c. as before April 20<sup>th</sup> 1821



# T6 N. R1 E. 2<sup>d</sup>. Mer. Indiana

East On Rand<sup>m</sup> betw<sup>n</sup>. Sec. 10 & 15, T6 N. R1 E.  
15.18 a Brook 100 yds. wide C. S.

40.00 Set temp<sup>y</sup>. of Sec. post

80.00 Intersected the N & S. line 89 yds. S. of post.  
Land timber same as on the last mile

West On true line between Sec. 10 & 15, T6 N. R1 E.

40.00 Set of Sec. post at av<sup>g</sup>. dist. on true line from which  
a Sugar 12 m. dist. betw<sup>n</sup> S 23 E 16 lks. dist. of  
a Do 16 " " " S 23 W 5 " "

80.00 to Sec. Cor.

North Between Sec. 9 & 10, T6 N. R1 E. 2<sup>d</sup>. Mer.

5.60 a Brook 60 yds. wide C. S. E.

23.70 a Sugar 24 m. dist. with the line

40.00 Set the of Sec. post, from which  
a Hickory 10 m. dist. betw<sup>n</sup> S 32 W 5 lks. dist. of  
a Beech 10 " " " S 86 E 19 " "

57.59 a Poplar 48 " " m. with the line

80.00 Set a post Cor. to Sec. 3, 4, 9 & 10, from which  
a Beech 8 m. dist. betw<sup>n</sup> N 12 W 11 lks. dist. of  
a Do 18 " " " S 47 E 11 " "

Land 1<sup>st</sup> 1/2 mile rolling 2<sup>d</sup> rate - 2<sup>d</sup> 1/2 mile level  
2<sup>d</sup> rate, timber Beech, Oak & Ash, Sugar &c.  
undergrowth Spice &c.

East On Random between Sec. 3 & 10, T6 N. R1 E.

40.00 Set temp<sup>y</sup>. of Sec. post

80.00 Intersected the N & S. line 88 yds. S. of post.  
Land level 2<sup>d</sup>. rate, timber as before

West On true line between Sec. 3 & 10, T6 N. R1 E.

40.00 Set of Sec. post at av<sup>g</sup>. dist. on true line, from which



# T6. N. R1 E. 2<sup>d</sup> Mer. Indiana

a Buckeye 12 m. dist. bears North 27<sup>th</sup>. dist. of  
 a B. Walnut 30 " " " N 15 E 20 " "  
 80.00 to Sec. Corner.

North Between Secs. 3 & 4, T6. N. R1 E. 2<sup>d</sup> Mer.  
 24.40 a Sugar 18 m. dist. in the line  
 40.00 Set the q. Sec. post, from which  
 a Beech 4 m. dist. bears N 77 E 17<sup>th</sup>. dist. of  
 a Do 5 " " " S 24 W 23 " "  
 57.06 a W. Oak 24 " " in the line  
 81.16 Set a post Cor. to Secs. 3 & 4, on N. boundy, from which  
 a Beech 6 m. dist. bears S 20 W 17<sup>th</sup>. dist. of  
 a Do 6 " " " N 43 E 13 " "  
 Land level 2<sup>d</sup> rate timber as before

North Between Secs. 32 & 33, T6. N. R1 E. 2<sup>d</sup> Mer.  
 19.18 a Sugar 20 m. dist. in the line  
 40.00 Set the q. Sec. post, from which  
 a Sugar 6 m. dist. bears West 4<sup>th</sup>. dist. of  
 a Do 4 " " " N 77 E 5 " "  
 66.16 a Beech 18 " " in the line  
 80.00 Set a post Cor. to Secs. 28, 29, 32 & 33, from which  
 a Beech 8 m. dist. bears S 28 W 20<sup>th</sup>. dist. of  
 a Do 8 " " " N 73 E 9 " "  
 Land level 2<sup>d</sup> rate, timber Beech, Sugar, Oak,  
 Ash &c. undergrowth, Spice &c.

East On Random between Secs. 28 & 33, T6. N. R1 E.  
 40.00 Set temp<sup>y</sup>. q. Sec. post.  
 79.02 Intersect the N & S. line, 128<sup>th</sup>. S. of the post  
 Land, timber &c. Same as on the last mile

West On true line between Secs. 28 & 33, T6. N. R1 E.

# West R1E, 2<sup>d</sup> Mer. Indiana

39.51 Set of Sec. post at av. dist. from which  
a Beech 16 mi. dist. bears S21E16 lks. dist. of  
a do 14 " " " N28W28 " "  
79.02 to Sec. Corner.

## North Between Secs. 28 & 29, West R1E, 2<sup>d</sup> Mer.

23.53 a Sugar 20 mi. dist. with the line  
40.00 Set the of Sec. post, from which  
a Beech 10 mi. dist. bears N50W20 lks. dist. of  
a do 8 " " " S2E23 " "  
66.16 a W. Elm 10 " " with the line  
80.00 Set a post Cor. to Secs. 20, 21, 28 & 29, from which  
a Beech 16 mi. dist. bears S77E12 lks. dist. of  
a do 10 " " " N74W25 " "  
Land, timber &c. same as on the last mile

## East On Random between Secs. 21 & 28, West R1E.

40.00 Set temp. of Sec. post  
73.38 a Brook 100 lks. wide C.S.E.  
78.90 Intersected the N & S. line 120 lks. S. of post  
Land timber &c. same as on the last mile

## West On true line, between Secs. 21 & 28, West R1E.

39.45 Set of Sec. post at av. dist. from which  
a Beech 19 mi. dist. bears S53E5 lks. dist. of  
a do 16 " " " N68W23 " "  
78.90 to Sec. Corner. April 21<sup>st</sup> 1871

## North Between Secs. 20 & 21, West R1E, 2<sup>d</sup> Mer.

16.05 a W. Oak 40 mi. dist. with the line  
40.00 Set the of Sec. post, from which  
a W. Ash 10 mi. dist. bears S25E6 lks. dist. of  
a Buckeye 8 " " " N25W40 " "

53

# West P.E. 2<sup>nd</sup> Mer. Indiana

61.25 at Beech 24 m. dist. in the line  
 80.00 at a post Cor. to Sec. 16, 17, 21 & 22, from which  
     a Beech 10 m. dist. bearing S 72 E 19 lks. dist. of  
     a Beech 10 " " " N 2 W 28 " "  
 Sand timber &c. same as on the last mile

---

East on Random between Sec. 16 & 21, West P.E.  
 40.00 at temp. of Sec. post  
 79.00 intersected the N. & S. line 124 lks. S. of post,  
 Sand timber &c. same as on the last mile

---

West on true line between Sec. 16 & 21, West P.E.  
 39.50 at of Sec. post at a J. dist. from which  
     a Beech 12 m. dist. bearing S 21 W 34 lks. dist. of  
     a Do 10 " " " S 7 W 12 " "  
 79.00 to Sec. Corner.

---

North Between Sec. 16 & 17, West P.E. 2<sup>nd</sup> Mer.  
 26.70 a Beech 20 m. dist. in the line  
 40.00 at the of Sec. post, from which  
     a Sugar 12 m. dist. bearing N 10 W 10 lks. dist. of  
     a Do 4 " " " S 27 E 10 " "  
 56.65 a Beech 13 " " in the line  
 80.00 at a post Cor. to Sec. 8, 9, 16 & 17, from which  
     a Beech 8 m. dist. bearing S 68 W 5 lks. dist. of  
     a Do 18 " " " S 75 E 13 " "  
 Sand timber &c. same as on the last mile

---

East on Random betw. Sec. 9 & 16, West P.E.  
 40.00 at temp. of Sec. post  
 78.90 intersected the N. & S. line 122 lks. S. of post  
 Sand timber &c. same as on the last mile

---

# West P. E. 2<sup>d</sup> Mer. Indiana

West On true line between Sec. 9 & 16, T16 N. R1 E.  
 39.45 At the q. Sec. post at av. g. dist. on true line from  
 which a Poplar 28 in. dia. bears N46 E 11 lks. dist. of  
 a Sugar 10 " " " S49 W 23 " "  
 78.90 to Sec. Cor.

North Between Sec. 8 & 9, T16 N. R1 E, 2<sup>d</sup> Mer.  
 10.50 a W. Oak 30 in. dia. in the line  
 40.00 At the q. Sec. post, from which  
 a Beech 12 in. dia. bears N79 W 26 lks. dist. of  
 a do 10 " " " S49 E 23 " "  
 60.50 a Beech 10 " " in the line  
 65.00 a Brook 10 lks. wide C. E.  
 80.00 At a post Cor. to Sec. 4, 5, 8 & 9, from which  
 a Beech 5 in. dia. bears S53 W 25 lks. dist. of  
 a W Oak 28 " " " N55 E 12 " "  
 Land 1<sup>st</sup> 1/2 mile level 2<sup>d</sup> rate; 2<sup>d</sup> 1/2 mile rolling  
 2<sup>d</sup> rate, timber Same as on the last mile

East On Random between Sec. 4 & 9, T16 N. R1 E.  
 26.30 a Brook 60 lks. wide C. S.  
 40.00 At the q. Sec. post temporary  
 78.96 Intersected the N & S. line. 124 lks. S. of post.  
 Land rolling 2<sup>d</sup> rate timber as before

West On true line between Sec. 4 & 9, T16 N. R1 E.  
 39.48 At q. Sec. post at av. g. dist. on true line, from which  
 a Buckeye 4 in. dia. bears N10 W 5 lks. dist. of  
 a W Oak 5 " " " S43 W 8 " "  
 78.96 to Sec. Corner.

North Between Sec. 4 & 5, T16 N. R1 E, 2<sup>d</sup> Mer.  
 21.20 a Beech 12 in. dia. bears in the line



# T6 St. R1 E. 2<sup>nd</sup> Mer. Indiana

28.00 a Brook 4 lks. wide C. E.  
 40.00 At the g. Sec. post, from which  
 a Beech 16 m. dia. beam N 2 E. 20 lks. dist. of  
 a do 18 " " " N 45 W 30 " "  
 66.16 a Beech 18 " " in the line  
 81.62 At a post Cor. to Sec. 4 & 5 in the N. boundy, from which  
 a Beech 12 m. dia. beam S 74 W 25 lks. dist. of  
 a do 12 " " " N 88 E 17 " "  
 Land rolling 2<sup>nd</sup> rate, timber as before, Apr. 23. 1821.

## North Between Sec. 31 & 32, T6 St. R1 E. 2<sup>nd</sup> Mer.

21.90 a Beech 10 m. dia. in the line  
 24.50 a Brook 4 lks. wide C. S. E.  
 34.00 a do 4 " " " S. W.  
 36.25 a do 4 " " " S. E.  
 40.00 At a post Cor. to g. Sec. from which  
 an Ironwood 10 m. dia. beam N 15 W 17 lks. dist. of  
 a Beech 9 " " " S 32 E 14 " "  
 59.30 a B. Walnut 24 " " in the line  
 80.00 At a post Cor. to Sec. 29, 30, 31 & 32, from which  
 a Beech 15 m. dia. beam S 10 W 32 lks. dist. of  
 a do 24 " " " N 35 E 8 " "  
 Level good 2<sup>nd</sup> rate land, timber Sugar & Beech,  
 Oak, underg<sup>th</sup> Spruce &c.

## East On Random between Sec. 29 & 32, T6 St. R1 E.

15.00 a Brook 3 lks. South  
 40.00 At the temp<sup>y</sup>. g. Sec. post  
 79.00 Intersected the N & S. line 89 lks. S. of the post.  
 Land timber &c. as above.

## West On true line between Sec. 29 & 32, T6 St. R1 E.

39.50 At the g. Sec. post at an g. dist. from which



# West R1 E. 2<sup>d</sup> Mer. Indiana

a Beech 20 mi. dist. bearing N 48 W 22 lbs. dist. of  
 a Sugar 10 " " " S 30 E 17 " "  
 79.00 to Sec. Cor.,

North Between Sec. 29 & 30, T16 N. R1 E.

2.50 a Brook 3 lbs. wide at S. E.

20.00 a Hickory 24 mi. dist. bearing with the line

40.00 at the of Sec. post, from which

a Beech 8 mi. dist. bearing N 76 W 55 lbs. dist. of

a Ho 12 " " " S 88 E 5 " "

68.40 a Beech 8 " " with the line

80.00 at a post Cor. to Sec. 19, 20, 29 & 30, from which

a Beech 10 mi. dist. bearing N 77 E 18 lbs. dist. of

a Ho 12 " " " N 45 W 21 " "

Land level good 2<sup>d</sup> rate, timber Sugar, Beech, W.  
 Oak, including <sup>the</sup> Spruce &c.

East On Random between Sec. 20 & 29, T16 N. R1 E.

40.00 at temp. of Sec. post

79.02 intersected the N & S. line 59 lbs. S. of post.

Land level good 2<sup>d</sup> rate. timber as before

West On true line between Sec. 20 & 29, T16 N. R1 E.

39.51 at of Sec. post at an 9. dist. from which

a Sugar 18 mi. dist. bearing N 64 E 18 lbs. dist. of

a Beech 10 " " " N 64 W 18 " "

79.02 to Sec. Cor. &c.

North Between Sec. 19 & 20, T16 N. R1 E. 2<sup>d</sup> Mer.

19.20 a W. Oak 24 mi. dist. with the line

40.00 at the of Sec. post, from which

a Sugar 20 mi. dist. bearing N 59 W 12 lbs. dist. of

a Beech 10 " " " S 59 E 2 " "

# 57

## T6 N. R1 E. 2<sup>d</sup>. Mer Indiana

59.20 a Beech 20 m. dist. in the line  
 80.00 Set a post Cor. to Sec. 17, 18, 19, 20, from which  
     a Beech 8 m. dist. bears S10 W 17 1/2 deg. dist. of  
     a W. Oak 36 " " " N63 E 17 " "  
 Land level 2<sup>d</sup> rate, timber Sugar, Beech, W.  
 Oak &c. under 1<sup>st</sup> Spruce &c.

East On Random between Sec. 17 & 20, T6 N. R1 E.  
 40.00 Set temporary q. Sec. post  
 79.05 Intersected the N & S. line, — 1/4 m. S. of the post  
 Land level 2<sup>d</sup> rate 2<sup>d</sup> rate, timber, Sugar, beech,  
 W. Oak &c. under 1<sup>st</sup> Spruce &c.

West On true line between Sec. 17 & 20, T6 N. R1 E.  
 39.57 1/2 Set q. Sec. post, at av. g. dist. from which  
     a Sugar 20 m. dist. bears N41 E 28 1/2 deg. dist. of  
     a Beech 24 " " " West 23 " "  
 79.05 to Sec. Corner.

North Between Sec. 17 & 18, T6 N. R1 E. 2<sup>d</sup>. Mer.  
 21.80 a Red Oak 20 m. dist. in the line  
 40.00 Set the q. Sec. post, from which  
     a P. Elm 8 m. dist. bears N54 W 10 deg. dist. of  
     a Beech 12 " " " S54 E 18 " "  
 64.11 a W. Oak 18 " " m. dist. in the line  
 80.00 Set a post Cor. to Sec. 7, 8, 17 & 18, from which  
     a Beech 12 m. dist. bears S42 W 25 deg. dist. of  
     a Do 20 " " " N44 E 20 " "  
 Land timber &c. same as on last mile

East On Random between Sec. 8 & 17, T6 N. R1 E.  
 40.00 Set temporary q. Sec. post  
 79.07 Intersected the N & S. line 87 lbs. S. of post.

T6 N. R1 E. 2<sup>d</sup> Mer. Indiana

Sand timber &c. Same as on the last mile

---

West Ontne line between Sec. 8 & 17, T6 N. R1 E.  
 39.53<sup>1</sup>/<sub>2</sub> at of Sec. post at avf. dist. from which  
 a Beech 10 in. dia. bray N35 E 26 lks. dist. &  
 a do 12 " " " S59 W 8 " "  
 79.07 to Sec. Corner.

---

North Between Sec. 7 & 8, T6 N. R1 E.  
 25.68 a Beech 8 in. dia. in the line  
 29.50 at Brook 15 lks. wide C.P. Co.  
 40.00 at the of Sec. post, from which  
 a Beech 12 in. dia. bray N75 W 26 lks. dist. &  
 a do 14 " " " N74 E 11 " "  
 63.35 a Y. Elm 48 " " in the line  
 80.00 at the post Cor to Sec. 5, 6, 7 & 8, from which  
 a Beech 12 in. dia. bray N33 E 31 lks. dist. &  
 a B. Ash 12 " " " S77 W 12 " "  
 Sand timber &c. Same as on the last mile

---

East On Random betw<sup>n</sup> Sec. 5 & 8, T6 N. R1 E.  
 40.00 at temp. of Sec. post  
 79.00 Intersected the N & S line 80 lks. S. of post  
 Sand timber &c. Same as on the last mile

---

West Ontne line between Sec. 5 & 8, T6 N. R1 E.  
 39.50 at the of Sec. post at avf. dist. from which  
 a Sugar 20 in. dia. bray S24 W 8 lks. dist. &  
 a do 24 " " " N3 E 34 " "  
 79.00 to Sec. Corner.

---

North Between Sec. 5 & 6, T6 N. R1 E. 2<sup>d</sup> Mer  
 23.40 a Beech 6 in. dia. in the line

# West N. P. E. 2<sup>nd</sup> Mer. Indiana

59

- 40.00 At the q. Sec. post, from which  
a Beech 8 in. dia. beam S 38 E 17 lks. dist. &  
a Hickory 6 " " " N 77 W 9 " "  
64.30 a Beech 12 " " in the line  
82.00 Intersected the line of Correction & set a post  
Corner to Sec. 5 & 6, from which  
a W. Elm 12 in. dia. beam N 10 W 30 lks. dist. &  
a Beech 6 " " " S 22 E 19 " "  
April 26<sup>th</sup> 1821

- West Between Sec. 30 & 31, West N. P. E. 2<sup>nd</sup> Mer.  
15.55 a Beech 10 in. dia. in the line  
40.00 At the q. Sec. post, from which  
a Poplar 18 in. dia. beam N 28 W 8 lks. dist. &  
a Beech 20 " " " S 54 E 25 " "  
43.37 Intersected the 2<sup>nd</sup> Mer. 460 lks. N. of the Corner  
Set a post Cor. to Sec. 30 & 31, from which  
a Beech 14 in. dia. beam S 8 E 6 lks. dist. &  
a W. Ash 20 " " " N 13 W 27 " "  
Level good 2<sup>nd</sup> rate land, timber Sugar, Beech, W.  
Oak &c. underg<sup>th</sup> Spice &c.

- West Between Sec. 19 & 30, West N. P. E. 2<sup>nd</sup> Mer.  
21.70 a Beech 20 in. dia. in the line  
40.00 At the q. Sec. post, from which  
a Beech 10 in. dia. beam N 7 E 25 lks. dist. &  
a Hickory 24 " " " S 31 W 29 " "  
42.70 Intersected the 2<sup>nd</sup> Mer. 552 lks. N. of post - set  
a post Corner to Sec. 19 & 30, from which  
an Elm 24 in. dia. beam N 17 W 5 lks. dist. &  
a Do 20 " " " S 29 E 34 " "  
Level 2<sup>nd</sup> rate land, timber, Sugar, Beech, W. Oak  
&c. underg<sup>th</sup> Spice &c.



# T6 N. R1 E. 2<sup>d</sup>. Mer. Indiana

West Between Secs. 18 & 19, T6 N. R1 E. 2<sup>d</sup>. Mer.  
 24.00 a W. Ash 24 in. dia. in the line  
 40.00 At the qt. Sec. post, from which  
     a Beech 12 in. dia. bears S67 E 27 lks. dist. &  
     a Do 18 " " " N66 W 19 " "  
 41.94 Intersected the 2<sup>d</sup>. Mer. 638 lks. N. of the post  
     At a post Cor. to Secs. 18 & 19, from which  
     a Sugar 18 in. dia. bears S48 W 14 lks. dist. &  
     a Beech 12 " " " N77 W 19 " "  
 Sand timber &c. Same as on the last mile

West Between Secs. 7 & 18, T6 N. R1 E. 2<sup>d</sup>. Mer.  
 20.95 a Beech 10 in. dia. in the line  
 40.00 At the qt. Sec. post, from which  
     a Beech 16 in. dia. bears N4 E 19 lks. dist. &  
     a Do 10 " " " N54 E 10 " "  
 41.21 Intersected the 2<sup>d</sup>. Mer. 720 lks. N. of the post  
     At a post Cor. to Secs. 7 & 18, from which  
     a Beech 10 in. dia. bears S20 E 10 lks. dist. &  
     a Do 12 " " " N40 W 26 " "  
 Sand timber &c. Same as on the last mile

West Between Secs. 6 & 7, T6 N. R1 E. 2<sup>d</sup>. Mer.  
 20.25 a W. Ash 12 in. dia. in the line  
 40.00 At the qt. Sec. post, from which  
     a Beech 12 in. dia. bears N82 E 19 lks. dist. &  
     a Do 18 " " " S56 W 37 " "  
 40.65 Intersected the 2<sup>d</sup>. Mer. 800 lks. N. of the post  
     At a post Cor. to Secs. 5 & 6, from which  
     a Beech 16 in. dia. bears N71 W 20 lks. dist. &  
     a Do 12 " " " S66 W 20 " "  
 Sand timber &c. as before. April 29<sup>th</sup> 1871  
 Surveyed by Stephen Collett, Dep. Sur.

I certify that the foregoing transcript of field notes  
of Township N. 16 N. Range N. 1 E. 2<sup>d</sup> Mer. Ind.  
has been Comp.<sup>d</sup> with the Original notes in this office,  
and found to be correct.

Surveyor General's Office  
Cincinnati, Dec. 29<sup>th</sup> 1840

E. S. Gaine  
Sur. Genl.